

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE OF PAGES 1 8	
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 27-Aug-2003		4. REQUISITION/PURCHASE REQ. NO. W16ROE-3175-7724		5. PROJECT NO.(If applicable)	
6. ISSUED BY USA ENGINEER DISTRICT, NEW YORK ATTN: CENAN-CT ROOM 1843 26 FEDERAL PLAZA (DACW51) NEW YORK NY 10278-0090		CODE DACW51		7. ADMINISTERED BY (If other than item 6) See Item 6		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				<input checked="" type="checkbox"/> 9A. AMENDMENT OF SOLICITATION NO. DACW51-03-B-0017			
				<input checked="" type="checkbox"/> 9B. DATED (SEE ITEM 11) 04-Aug-2003			
				10A. MOD. OF CONTRACT/ORDER NO.			
				10B. DATED (SEE ITEM 13)			
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Beach Erosion Control and Hurricane Protection Project, East Rockaway Inlet to Rockaway Inlet and Jamaica Bay, NY, Beach Restoration Contract 8 1. The purpose of this amendment is to incorporate the revised in section 00800, 1305, 02201 as shown on next pages of this document. 2. The bid opening date is change from September 2, 2003 at 11:00 AM to September 11, 2003 at 12:30 PM local time, room 1843. 3. All other terms and conditions remain unchanged. 4. All bidders must acknowledged receipt of this amendment by the date specified in the solicitation (or as amended) by one of the following methods; in the space provided on the SF 1442, by separate letter, or by telegram, or signing block 15 below. FAILURE TO ACKNOWLEDGE AMENDMENTS BY THE DATE AND TIME SPECIFIED MAY RESULT IN REJECTION OF YOUR BID IN ACCORDANCE WITH THE LATE BID, LATE MODIFICATIONS OF BID OR LATE WITHDRAWAL OF BIDS (FAR 14.304). Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 27-Aug-2003	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

AMENDMENT #0001**NOTICE TO BIDDERS**

Failure of the bidder to
Acknowledge receipt of
this Amendment in
Item 19 of Standard Form
1442 (Pg. 00010-2) may
result in REJECTION of
the bid.

IFB NO. DACW51-03-B-0017

Amendment No. 1

Department of the Army, NYD
Corps of Engineers
New York, NY 10278-0090

AMENDMENT NO. 1 TO SPECIFICATIONS FOR BEACH EROSION CONTROL AND
HURRICANE PROTECTION PROJECT, EAST ROCKAWAY INLET TO ROCKAWAY INLET AND
JAMAICA BAY, NEW YORK, BEACH RESTORATION CONTRACT 8

TO BIDDERS

1. Bid due date is changed to 11 September 2003, 12:30 PM, from 2 September 2003, 11:00 AM.
2. Specifications Section 00800: Paragraph 1f revised to indicate as follows: "Reasonable care should be taken to minimize the use of heavy equipment on the beach and near housing prior to 8:00 AM in order to avoid noise issues with the local residents.
3. Specifications Section 00800, paragraph 56, SAFETY AND HEALTH REQUIREMENTS MANUAL:
Delete the existing paragraph in its entirety and replace with the following:

"If this contract is for construction or dismantling, demolition, or removal of improvements with any Department of Army agency or component, the Contractor shall comply with all pertinent provisions of the latest version of U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1, in effect on the date of the solicitation. The latest edition of the U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1 and its changes are available at <http://www.hq.usace.army.mil> (at the HQ homepage select Safety and Occupational Health). Contractor shall be responsible for complying with the current edition and all changes posted on the web as of effective date of this solicitation.

Before commencing the work, the Contractor shall: (1) Submit a written proposal for implementing the Accident Prevention Plan; and (2) Meet with representatives of the Contracting Officer to discuss and develop a mutual understanding relative to administration of the overall safety program".

4. Specifications Section 00800, Project Signs: Revised signs to include correct project name and District Engineer's name.

5. Specifications Section 01305, ENG FORM 4288: Reviewer Codes Revised to reflect the legend of the codes.

6. Specifications Section 00800, paragraph 24, FIELD OFFICE: Delete the existing paragraph in its entirety and replace with the following:

a. The Contractor shall furnish at the job site, prior to the start of work, a 20 feet by 15 feet field office for the use by Government representatives for the duration of the contract. Field office and contents remain the property of the contractor. The exact location will be designated by the Contracting Officer. The building shall be well constructed and properly ventilated and shall contain a closet and door and windows which shall be capable of being locked, four (4) new ergonomically-designed chairs, one (1) plan rack and drawing board, two (2) desks, one (1) two-drawer filing cabinet, and a conference table approximately 5 feet by 6 feet with 4 chairs. The Contractor shall also provide adequate electric lighting, minimum 6 duplex electrical receptacles, drinking water, heat, plumbed functional toilet facilities, air conditioning, janitorial services and maintenance services. In addition the contractor shall make arrangements and pay connection fees and monthly usage for electrical and 2-line telephone service (fax and voice). The Contractor shall also make arrangements and pay all connection costs and fees for either Business DSL or Cable Modem Service to the field office for data line connection. These services shall be arranged for the entire contract duration. The field office shall be removed from the project site when and as directed by the Contracting Officer. In addition to the above, the Contractor shall provide the following computer and office equipment, and other items for use by the Government during the contract:

Hardware:

Personal Computer.

- Pentium IV processor running at 2.4 GHz or better
- High speed cache memory controller with at least 512 KB L2 PIPELINE BURST CACHE
- At least 512MB SDRAM
- 400MHz System Bus
- (1) 3.5" 1.44 MB diskette drives with hard drive controller
 - Hard drive controller with 60 GB hard drive with access time of 9 ms
 - Front and rear USB Ports
 - 10Base-T Ethernet Network Interface Card (NIC)
 - Microsoft TCP/IP.
 - Sound Card *W/* SPEAKERS
 - Enhanced 101 keyboard
 - 6 outlet surge protector
 - 17" Flat Panel SVGA high resolution COLOR monitor or better with refresh rate 75Hz or better and 8Mb Color Graphics
 - 3 Button ergonomic mouse and mouse pad
 - Modem V.90 Or V.92 56KB Baud (U.S. Robotics or equal)
 - DSL or Cable Modem.
 - Internal DVD ROM 16X and CD-RW (Read/Write) Drive 24X
 - Microsoft Windows 2000 Professional Operating System
 - Microsoft Office 2000 Professional Suite

- Lotus Smart Suite and Adobe Acrobat Reader
- Signature card reader: Gradkell Computer Inc.

Part# 050-0300 Description: Argus 300 (card reader and PCI adapter package) for CEFMS: phone# (256)-722-8585 X37 (Mr. Wayne Wright)

- Norton Antivirus Software 2002 and periodic updates.

Printer:

- Hewlett Packard Laserjet 4100 Series Printer or equivalent Laserjet Printer.

Copier: Plain-paper, desktop, autofeed, monochrome, minimum 10 copies per minute.

Fax Machine: Monochrome, minimum feed (3) - 8 1/2x11 inch pages per minute. Capable of receiving on plain white bond paper.

Telephone : 2-Line phone compatible with phone service.

Telephone Answering Machine: Standard, compatible with standard telephone line and local service.

Cell Phone: Cell phone with two (2) years service contract.

DSL or Cable Modem Service: Business DSL or Cable modem service with all required equipment (modems, filters, etc.). DSL service shall be 1.5Mbps downstream/384Kbps upstream. Service shall utilize a Static IP address for the connection. Contractor shall pay all costs associated with this service including any ISP fees. DSL or Cable Modem service shall be a 'dedicated' service, and this line shall not be shared with any other Users (i.e., Contractors Field Office Trailer and USACE Field Office Trailer shall not utilize the same DSL or Cable Modem line via an Ethernet Switch/Hub).

First Aid Kit: As a minimum the kit will include antiseptic kit, eyewash solution, bandages, insect sting medication, aspirin and acetaminophen, and coldpack.

Fire Extinguisher: Type as required for a trailer the same size as office.

- a. The Contractor, at its option, may furnish a trailer not less than 20 feet long. The trailer shall be approved by the Contracting Officer and shall have the facilities and be serviced as specified above for the field office.
- b. No separate payment will be made for providing the above items and all costs in connection therewith will be considered the obligation of the Contractor.

Computer Security requirements:

The contractor will agree to accept responsibilities and comply with procedures indicated below in connection with the furnishing of Contractor-owned computers for use by Government personnel in accordance with contract requirements.

- a. The computers must be dedicated exclusively for Government use. Contractor will not use any computer it supplies which is designated for use by the Government. Contractor will assure that the

Central Processing Unit (CPU) is electronically isolated from the contractor's and not inter-connected via Local Area Network (LAN).

b. Normal access to the computer shall be restricted to Corps of Engineers personnel. Contractor shall set up computers in a secure area and give the keys to the Government. Contractors must immediately notify Government personnel when emergency access to the computer location was exercised by non-Government individuals, and what the circumstances were.

c. If the CPU hard drive fails, the Government will furnish an equivalent hard drive to the owner of the computer, and the old hard-drive will be returned to the Government. Contractor shall not remove any hard drive nor proceed with any repair of the computer unless an authorized Government employee witnesses and approves of the repair.

d. At the time of return of the computer, the Contractor will allow the Government to first remove all information from the hard-drive.

e. Contractor agrees to provide a written certification signed by an authorized officer of the company agreeing to the above policy.

7. Specifications Section 00800, paragraph 54, FACILITIES: Delete the existing paragraph in its entirety and replace with the following:

All structures and facilities shall be designed and maintained for year round operation from Notice to Proceed through the contract completion date.

-The Contractor shall provide and maintain as a minimum one new vehicles exclusively for use by Government representatives. One vehicle shall be a Jeep Grand Cherokee or approved equal with power windows AM/FM Stereo radio and air conditioning. The Contractor shall provide all fuel, insurance, maintenance and repairs until the contract completion date.

- * The vehicle shall be 4x4 and shall be capable of operation on the beaches.
Products of other manufacturers may be substituted provided they are equivalent in all respects and are similarly equipped and subject to the approval of the Contracting Officer. The Contractor shall hold the Government harmless for any damage to the vehicle, other than that caused by negligent operation.

-The Contractor shall erect a weather station at the field office to electrically record wind speed direction and rainfall quantities on a daily basis at the government trailer. This data shall be the basis for any weather delays for this contract. In addition to the weather station, the Contractor shall furnish an automatic tide gage recorder and wave height recorder immediately adjacent to the borrow area currently in use. The original daily record from the recorder shall be provided with the Contractor's daily Quality Control report.

a. No separate payment will be made for providing the above accommodations and all costs in connection therewith will be considered the obligation of the Contractor. All facilities shall be removed from the project site when and as directed by the Contracting Officer.

8. Specifications Section 02201, paragraph 4.2, 1st sentence: Delete the first sentence in its entirety and replace with the following sentence:

Soundings in the vicinity of the borrow area are shown on the drawings.

9. Specifications Section 00800, paragraph 11, 52.232-5002 -- Continuing Contracts (Alternate) (Mar 1995) (EFARS) added as follows:

(a) Funds are not available at the inception of this contract to cover the entire contract price. The sum of \$ 10,000.00 has been reserved for this contract and is available for payment to the contractor during the current fiscal year (FY 03). It is expected that Congress will make appropriations for future fiscal years from which additional funds, together with funds provided by one or more non-federal project sponsors will be reserved for this contract. The liability of the United States for payments beyond the funds reserved for this contract is contingent on the reservation of additional funds.

(b) Failure to make payments in excess of the amount currently reserved, or that may be reserved from time to time, shall not be considered a breach of this contract, and shall not entitle the contractor to a price adjustment under the terms of this contract except as specifically provided in paragraphs (e) and (h) below.

(c) The Government may at any time reserve additional funds for payments under the contract if there are funds available for such purpose. The contracting officer will promptly notify the contractor of any additional funds reserved for the contract by issuing an administrative modification to the contract.

(d) If earnings will be such that funds reserved for the contract will be exhausted before the end of any fiscal year, the contractor shall give written notice to the contracting officer of the estimated date of exhaustion and the amount of additional funds which will be needed to meet payments due or to become due under this contract during that fiscal year. This notice shall be given not less than 45 nor more than 60 days prior to the estimated date of exhaustion.

(e) No payments will be made after exhaustion of funds except to the extent that additional funds are reserved for the contract. If and when sufficient additional funds are reserved, the contractor shall be entitled to simple interest on any payment that the contracting officer determines was actually earned under the terms of this contract and would have been made except for exhaustion of funds. Interest shall be computed from the time such payment would otherwise have been made until actually or constructively made, and shall be at the rate established by the Secretary of the Treasury pursuant to Public Law 92-41, 85 STAT 97, as in effect on the first day of the delay in such payment.

(f) Any suspension, delay, or interruption of work arising from exhaustion or anticipated exhaustion of funds shall not constitute a breach of this contract and shall not entitle the contractor to any price adjustment under a "Suspension of Work" or similar clause or in any other manner under this contract.

(g) An equitable adjustment in performance time shall be made for any increase in the time required for performance of any part of the work arising from exhaustion of funds or the reasonable anticipation of exhaustion of funds.

(h) If, upon the expiration of sixty (60) days after the beginning of the fiscal year following an exhaustion of funds, the Government has failed to reserve sufficient additional funds to cover payments otherwise due, the contractor, by written notice delivered to the contracting officer at any time before such additional funds are reserved, may elect to treat his right to proceed with the work as having been

terminated. Such a termination shall be at no cost to the Government, except that, to the extent that additional funds to make payment therefore are allocated to this contract, it may be treated as a termination for the convenience of the Government.

(I) If at any time it becomes apparent that the funds reserved for any fiscal year are in excess of the funds required to meet all payments due or to become due the contractor because of work performed and to be performed under this contract during the fiscal year, the Government reserves the right, after notice to the contractor, to reduce said reservation by the amount of such excess.

(j) The term "Reservation" means monies that have been set aside and made available for payments under this contract.

Questions and Answers (For Information Only)

10. It is stated in SECTION 2201, paragraph 4.2 in the specifications, that soundings in the borrow area are shown on the [provided] drawings. However, none of the provided drawings appear to illustrate soundings directly within the borrow area. Can the Corps please provide a bathymetric survey, preferably in the form of electronic survey data, taken within the borrow area?

Response: The Corps does not have any recent soundings in the borrow area. Paragraph 4.2 revised to indicate that soundings in the vicinity of the borrow area are shown on the drawings.

11. How did the Government estimate the quantity of beach fill?

Response: The Government estimated the quantity of beach fill using the old surveys from the previous contract. An amendment will be issued using the June 2003 surveys with new quantities.

12. Is the Government estimate based on the old survey information for the borrow area and beach fill cross sections or on other survey information?

Response: The Government estimate is based on the old survey information for the borrow area. See response to item # 2 for beach fill quantity.

13. Is the Contractor to assume the conditions of the borrow area and the beach fill placement area have not changed since June 2000 and June 1973 respectively?

Response: See the responses to questions 1 - 3.

14. Does the Corps have any recent survey information regarding the beach fill placement area and the borrow area? If so please provide the survey information to all bidders.

Response: See the responses to questions 1 - 3.

15. Is there any particular reason that the Contractor must start at the western limit of the beach fill area? Can the order of placement be changed, as long as the Contractor places the beach fill in continuous sections?

Response: The Contractor must start at the Western limit of the beach fill in order to provide for better beach fill placement, since additional sand quantities will be placed on the beach due to nourishing against the drift. The order of placement should not be changed.

16. This Amendment shall be attached to the specifications and shall be a part thereof.

ELLA SNELL
CONTRACTING OFFICER
C, CONTRACTING DIVISION

(End of Summary of Changes)

PROJECT IDENTIFICATION SIGN CIVIL PROJECT

The graphic format for this 4' x 6' sign panel follows the legend guidelines and layout as specified below. The large 4' x 4' section of the panel in the right is to be white with black legend. The 2' x 4' section of the sign on the left with the full corps Signature (reverse version) is to be screen printed Communications Red on the white background. The castle insignia will be furnished by the Government in pressure sensitive vinyl for affixing by the Contractor. See attached sheet for fabrication and mounting guidelines.

SAMPLE:

Legend Group 1: One to two-line description of Corps relationship to project
Color: white
Typeface: 1.25" Helvetica Regular
Maximum line length: 19"

Legend Group 2: Division or District Name (optional, Place below 10.5" Reverse Signature (6" Castle)
Color: white
Typeface: 1.25" Helvetica Regular

Legend Group 3: One-to three-line project title legend describes the work being done under this contract.
Color: Black
Typeface: 3" Helvetica Bold
Maximum line length: 42"

Legend Group 4: One-to two-line identification of project or facility (civil works) or name of sponsoring department (military).
Color: Black
Typeface: 1.5" Helvetica Regular
Maximum line length: 42"

Cross-align the first of Legend Group 4 with the first line of the Corps Signature (US Army Corps) as shown.

Legend Group 5a-b: One-to-five line identification of prime contractors including: type (architect, general contractor, etc.), corporate or firm name, city, state. Use of Legend Group 5 is optional.
Color: Black
Typeface: 1.25" Helvetica Regular
Maximum line length: 21"

All typography is flush left and rag right upper and lower case with initial capitals only as shown.
Letter and word spacing to follow Corps standards as specified in * Appendix D

(Dimensions are in inches)


Sign Type	Legend	Panel Size	Post Size	Specification Code	Mounting Height	Color Bkg/Lgd
CID-01	various	4' x 6'	4' x 4'	HDO-3	48"	WH-RD/BK

Show non-Federal local partner's name and logo -
New York State Department of Environmental Conservation

* Refers to the U.S. Army Corps of Engineers, "Sign Standards Manual", EPS-310-1-6.
00800 - 32

US ARMY

CORPS of ENGINEERS New York District



RED CASTLE

BEACH EROSION CONTROL AND HURRICANE PROTECTION PROJECT

EAST ROCKAWAY INLET TO ROCKAWAY INLET AND JAMAICA BAY,

NEW YORK, BEACH RESTORATION CONTRACT 8

CONTRACTOR:

FUNDED BY: FEDERAL % LOCAL %

COMPLETION DATE:

FOR YOUR SAFETY

1. DO NOT ENTER DESIGNATED WORK AREAS

2. OBEY ALL CITY REGULATIONS CONCERNING

PROHIBITED BEACH ACTIVITIES


DISTRICT ENGINEER COL JOHN B. O'DOWD

RED LETTER

Project Sign- Civil Works

US ARMY

CORPS of ENGINEERS New York District



BEACH EROSION CONTROL AND HURRICANE PROTECTION PROJECT

EAST ROCKAWAY INLET TO ROCKAWAY INLET AND JAMAICA BAY,

NEW YORK, BEACH RESTORATION CONTRACT 8

CONTRACTOR:

FUNDED BY: FEDEF % .OCAI %

COMPLETION DATE:

FOR YOUR SAFETY

1. DO NOT ENTER DESIGNATED WORK AREAS

2. OBEY ALL CITY REGULATIONS CONCERNING

PROHIBITED BEACH ACTIVITIES

DISTRICT ENGI COL JOHN B. O'DOWD

Project Sign- Military

SAFETY PERFORMANCE SIGN

The graphic format, color, size and type-faces used on the sign are to be reproduced exactly as specified below. The title with First Aid logo in the top section of the sign, and the performance record captions are standard for all signs of this type. Legend Group 2 and 3 below identify the project and the contractor and are to be placed on the sign as shown. Safety record numbers are mounted on individual metal plates and are screw-mounted to the background to allow for daily revisions to posted safety performance record.

Legend Group 1: Standard two-line title "safety is a Job Requirement", with (8" od.) Safety Green First Aid logo. Color: To match PMS 347
Typeface: 3" Helvetica Bold
Color: Black

Legend Group 2: One- to two-line project title legend describes the work being done under this contract and name of host project.
Color: Black
Typeface: 1.5" Helvetica Regular
Maximum line length: 42"

Legend Group 3: One - to two-line identification: name of prime contractor and city, state address.
Color: Black
Typeface: 1.5" Helvetica Regular
Maximum line length: 42"

Legend Group 4: Standard safety record captions as shown.
Color: Black

Typeface: 1.25" Helvetica Regular

Replaceable numbers are to be mounted on white .060: aluminum plates and screw-mounted to background.
Color: Black
Typeface: 3" Helvetica Regular
Plate size: 2.5"x.5"

All typography is flush left and rag right, upper and lower case with initial capitals only as shown. Letter- and word-spacing to follow Corps standards as specified in Appendix D. *

3"	31"	3" 8" 3"									
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;">6"</div> <div style="margin-bottom: 10px;">4.5"</div> <div style="margin-bottom: 10px;">10.5"</div> <div style="margin-bottom: 10px;">2.25"</div> <div style="margin-bottom: 10px;">2.25"</div> <div style="margin-bottom: 10px;">4"</div> <div style="margin-bottom: 10px;">1.875"</div> <div style="margin-bottom: 10px;">3"</div> <div style="margin-bottom: 10px;">1.875"</div> <div style="margin-bottom: 10px;">3"</div> <div style="margin-bottom: 10px;">1.875"</div> <div style="margin-bottom: 10px;">3.875"</div> </div>	<div style="text-align: center;"> <h3>Safety is a Job Requirement</h3> <p>BEACH EROSION CONTROL AND HURRICANE PROTECTION PROJECT EAST ROCKAWAY INLET TO ROCKAWAY INLET AND JAMAICA BAY, N.Y. BEACH RESTORATION CONTRACT 8</p> <p>Contractor:</p> <p>This project has operated:</p> <table border="1" style="margin: 10px auto;"> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px; text-align: center;">5</td><td style="width: 20px; height: 20px; text-align: center;">6</td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px; text-align: center;">5</td><td style="width: 20px; height: 20px; text-align: center;">6</td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px; text-align: center;">0</td><td style="width: 20px; height: 20px;"></td></tr> </table> <div style="display: flex; justify-content: space-between;"> <div>Days without & lost time injury</div> <div>4.875"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>Total days worked on this contract</div> <div>4.875"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>Lost time injuries</div> <div>4.875"</div> </div> </div>		5	6		5	6		0		<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;">4.875"</div> <div style="margin-bottom: 10px;">4.875"</div> <div style="margin-bottom: 10px;">4.875"</div> <div style="margin-bottom: 10px;">3"</div> </div>
	5	6									
	5	6									
	0										
3"	2" 17"										

Dimensions inches.

See attached sheet for fabrication and mounting guidelines.

* Refer to the U.S. Army Corps of Engineers, "Sign Standards Manual", EPS-310-1-6.

Sign Type	Legend Size	Panel Size	Post Size	Specifications Code	Mounting Height	Color Bkg/Lgd
CID-02	various	4"x4"	4"x4"	HDO-3	48"	WH/BK-GR

2.5"	2.5"	2.5"	
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;">.875"</div> <div style="margin-bottom: 10px;">3.125"</div> <div style="margin-bottom: 10px;">.975"</div> </div>	5	6	2


As Construction Project Identification signs and Safety Performance signs are to be fabricated and installed as described below. The signs are to be erected at a location designated by the contracting officer and shall conform to the size, format, and typographic standards shown on the attached sheets.

Sign graphics to be prepared on a white non-reflective vinyl film with positionable adhesive backing.

The 2'x4' Communications Red panel (to match PMS-032) with full Corps signature (reverse version) is to be screen printed on the white background. Identification of the District or Division may be applied under the signature with white cut vinyl letters prepared to Corps standards. Large scale reproduction artwork for the signature is provided on page 4.8

uprights in 4" hole. Local soil conditions and/or wind loading may require bolting additional 2"x4" struts on inside face of uprights to reinforce installation as shown.

Shown below the mounting diagram is a panel layout grid with spaces provided for project information. Photocopy this page and use as a worksheet when preparing sign legend orders.



1. _____
2. _____

Legend Group 2: Contractor/A&E

1. _____
2. _____

TRANSMITTAL OF SHOP DRAWINGS, EQUIPMENT DATA, MATERIAL SAMPLES, OR MANUFACTURER'S CERTIFICATES OF COMPLIANCE <i>(Read instructions on the reverse side prior to initiating this form)</i>					DATE		TRANSMITTAL NO.	
SECTION 1 - REQUEST FOR APPROVAL OF THE FOLLOWING ITEMS <i>(This section will be initiated by the contractor)</i>								
TO:			FROM:		CONTRACT NO.		CHECK ONE: <input type="checkbox"/> THIS IS A NEW TRANSMITTAL <input type="checkbox"/> THIS IS A RESUBMITTAL OF TRANSMITTAL	
SPECIFICATION SEC. NC <i>(Cover only one section with each transmittal)</i>			PROJECT TITLE AND LOCATION				CHECK ONE: THIS TRANSMITTAL IS FOR <input type="checkbox"/> FIO <input type="checkbox"/> GOV'T APPROVAL	
ITEM NO.	DESCRIPTION OF ITEM SUBMITTED <i>(Type size, model number/etc.)</i>	MFG OR COTRA. CAT., CURVE DRAWINGS OR BROCHURE NO. <i>(See instruction no. 8)</i>	NO. OF COPIES	CONTRACT REFERENCE DOCUMENT		FOR CONTRACTOR USE CODE	VARIATION <i>(See instruction No.6)</i>	FOR CE USE CODE
				SPEC. PARA. NO.	DRAWING SHEET NO.			
<i>a.</i>	<i>b.</i>	<i>c.</i>	<i>d.</i>	<i>e.</i>	<i>f.</i>	<i>g.</i>	<i>h.</i>	<i>i.</i>
REMARKS					I certify that the above submitted items have been reviewed in detail and are correct and in strict conformance with the contract drawings and specifications except as other wise stated.			
					NAME AND SIGNATURE OF CONTRACTOR			
SECTION II - APPROVAL ACTION								
ENCLOSURE RETURNED <i>(List by Item No.)</i>			NAME, TITLE AND SIGNATURE OF APPROVING AUTHORITY			DATE		

INSTRUCTIONS

1. Section I will be initiated by the Contractor in the required number of copies.
2. Each transmittal shall be numbered consecutively in the space provided for "Transmittal No.". This number, in addition to the contract number, will form a serial number for identifying each submittal. For new submittals or resubmittals mark the appropriate box; on resubmittals, insert transmittal number of last submission as well as the new submittal number.
3. The "Item No." will be the same "Item No." as indicated on ENG FORM 4288-R for each entry on this form.
4. Submittals requiring expeditious handling will be submitted on a separate form.
5. Separate transmittal form will be used for submittal under separate sections of the specifications.
6. A check shall be placed in the "Variation" column when a submittal is not in accordance with the plans and specifications--also, a written statement to that effort shall be included in the space provided for "Remarks".
7. Form is self-transmittal, letter of transmittal is not required.
8. When a sample of material or Manufacturer's Certificate of Compliance is transmitted, indicate "Sample" or "Certificate" in column c, Section I.
9. U.S. Army Corps of Engineers approving authority will assign action codes as indicated below in space provided in Section I, column i to each item submitted. In addition they will ensure enclosures are indicated and attached to the form prior to return to the contractor. The Contractor will assign action codes as indicated below in Section I, column g, to each item submitted.

THE FOLLOWING ACTION CODES ARE GIVEN TO ITEMS SUBMITTED

- | | |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| A -- Approved as submitted | E -- Disapproved (See attached). |
| B -- Approved, except as noted on drawings. | F -- Receipt acknowledged. |
| C -- Approved, except as noted on drawings.
Refer to attached sheet resubmission required. | FX -- Receipt acknowledged, does not comply
as noted with contract requirements. |
| D -- Will be returned by separate correspondence. | G -- Other (Specify) |
10. Approval of items does not relieve the contractor from complying with all the requirements of the contract plans and specifications.

EAST ROCKAWAY, CONTRACT 8

Relative to the “REVIEWER” column of ENG Form 4288
The following codes apply:

E – ENGINEERING DIVISION

A – AREA ENGINEER

AE – ARCHITECT ENGINEER

SUBMITTAL REGISTER																				CONTRACT NO.						
(ER 415-1-10)																										
TITLE AND LOCATION										CONTRACTOR										SPECIFICATION SECTION						
Rockaway Beach Nourishment Contract No.8																				00800						
ACTIVITY NO	TRANSMITTAL NO.	ITEM NO.	SPECIFICATION PARAGRAPH NUMBER	DESCRIPTION OF ITEM SUBMITTED	TYPE OF SUBMITTAL								CLASSIFICATION		REVIEWER	CONTRACTOR SCHEDULE DATES			CONTRACTOR ACTION			GOVERNMENT ACTION		REMARKS		
					DRAWINGS	INSTRUCTIONS	SCHEDULES	STATEMENTS	CERTIFICATIONS	SAMPLES	RECORDS	O&M	INFORMATION	GOVERNMENT ONLY		APPROVED	DATE	SUBMIT TO GOVERNMENT	DATE	DATE						
a.	b.	c.	d.	e.	f.	g.	h.	i.	j.	k.	l.	m.	n.	o.	p.	q.	r.	s.	t.	u.	v.	w.	x.	y.	z.	aa.
			5	Record Drawings	X										X		A									
			19	Laying of Submerged Pipes											X		A									
			25	Quantity Surveys						X					X		A									
			36	Notification of Work					X						X		A									
			42	Fuel Usage					X						X		A									

[illegible]

(ER 415-1-10)

01451

Rockaway Beach Nourishment Contract No.8

GOVERNMENT ACTION	
----------------------	--

REMARKS

aa.

A

CONTRACT NO.

	SPECIFICATION SECTION
--	--------------------------

CONTRACTOR

REMARKS

REMARKS

ATE

Z.

10

(Proponent: CEMP-CE)

CONTRACT NO.

	SPECIFICATION SECTION
--	--------------------------

CONTRACTOR

REMARKS

REMARKS

(Proponent: CEMP-CE)

CONTRACT NO.

	SPECIFICATION SECTION
--	--------------------------

CONTRACTOR

2201

[illegible]

01305-14